
DECORATIVE PANELS





FINISHING EFFECTS











ANTHRACITE GLITTER









RUST EFFECT









90


ROTULA






PRICE 85 GBP/pc 170 GBP/m²

area = 0,54 m² 2 panels/m²



CUBIC




PRICE
20 GBP/pc
222 GBP/m²

area = 0,09 m² 11 panels/m²



30






PRICE

18 GBP/pc 306 GBP/m²

area = 0.058 m^2 17 panels/ m^2




DIAMOND



PRICE

19 GBP/pc 285 GBP/m²

area = 0.068 m^2 15 panels/ m^2



DECORATIVE PANELS



IDEA

Decorative panels are the result of finding a solution on fashionable walls in decorative plasters, concrete or rust.

Without the mess associated with the application of such materials directly on the wall.

PRODUCTS

Wall panels are created with passion, based on many years' experience in decorating the walls.

Modern design, easy installation, low weight and excellent resistance to washing and cleaning, perfectly fit into the design of the apartment, office and other public space.

The panels are made on a light MDF with possible multiple variants of finishes such as: concrete, rust effect, various decorative paints, oil veneer or high gloss paint. Due to the fact that the panel is made by hand, it is treated individually with attention to details of the finish. However, it is important to remember that panels made with this method are manufactured with a tolerance of up to 3 mm. There are also subtle differences in the shades of the individual part, so we should not buy them "in installments".

PREPARING THE WALLS

Walls before mounting the panels should be equal, dry and free from dust, and strongly absorbent (such as gypsum plaster or raw plaster) should be primed. Walls can not be attacked by moisture and mold. You can not treat the panels as curtain for this type of damage.

ASSEMBLY

The installation of decorative panels is easy, fast and clean. The panels are glued to the wall using a high adhesion adhesive. The glue we put on the spot panel, apply it to the wall and press down. The panels should be folded together and ready.

Panels can be cut using a saw to cut wood with fine teeth. We recommend to always cut the edge of the panels so that they fall into the ceiling or perpendicular walls and remain hidden.